Data Sheet

eTOP

DTU-1031AX 10.1-inch Pen Display



Wacom® for Business

DTU-1031AX

Cost-effective digital document handling



Product Overview

With its 10.1" color LCD screen, the Wacom DTU-1031AX is the economical pen display solution for corporate or institutional customers who require a compact device for managing full-size documents electronically.

Operating as a pen-enabled LCD display, its small footprint and single USB cable enable easy integration into standard IT infrastructure elements, such as POS systems.

Key Features & Benefits

- Optimal user comfort with the 10.1", 1024 x 600 resolution, color LCD panel that allows easy document viewing and signing
- **Secure transactions** enabled by advanced AES256/RSA2048 encryption
- Unique hardware ID (UID) to identify the exact unit used for any transaction
- Minimal installation clutter with a single USB cable that supplies power and data, minimizing clutter at the counter or point-of-sale
- Highly accurate signatures and writing with the patented Wacom cordless and battery-free pen, featuring 512 levels of pressure sensitivity

- Flexible working position via a slim profile that allows the device to be used flat on the counter, or at an angle with the integrated stand. VESA mounting holes allow for mounting options or the use of third-party arms and stands
- Kensington® Security Slot to secure the unit when needed
- Outstanding durability via the scratch-resistant hardened cover glass that provides easier viewing in different lighting conditions

General Specifications

	Dimensions (W x H x D)	12.2 x 8.5 x 0.6 in / 310 x 217 x 14 mm
$\stackrel{\circ}{\Box}$	Weight	2.4 lb / 1.1 kg
\nearrow	Stand inclination	18° or flat
5	Power supply	USB bus power: 5 VDC
\mathcal{F}	Power consumption	5W maximum
\rightleftharpoons	Communication interface	USB 2.0 High-Speed
	Supported OS (Driver)	Windows 10 / 8.1 / 7 (32-bit, 64-bit) Mac OSX 10.12 or later
	LCD Display	
	LCD Display Type	TFT
\bigoplus	Screen dimensions	10.1 in
	Cover glass surface	Tempered glass
	Aspect ratio	16:9
***	Native resolution	1024 x 600 pixels
••	Video input	USB 2.0 High-Speed (Common with Communication IF)
\triangleleft	Viewing angles (horizontal/vertical)	140° (70/70) / 120° (60/60) (typical)
₺	Display colors	16.7 M colors
-,0,-	Luminance (brightness)	0.13 cd/in² / 200 cd/m² (typical)

Wacom* for Business

eTOP Solution
P.O.Box. 111645, Abu Dhabi, U.A.E
Tel: (971) 2-650 3433 Fax: (971) 2-650 3553
www.wacomme.ae
Email: sales@wacomme.ae

Tablet and Pen

	Electromagnetic Resonance (EMR)
Active area size	8.77x 4.93 in / 222.72 x 125.28 mm
Coordinate resolution	0.01 mm/point (2540 lpi)
Accuracy	±0.02 in / ±0.5 mm (center)
Report rate	200 points per second
Pressure levels	512
ncryption	AES 256 / RSA 2048
Reading height	0.2 in or more / 5 mm or more (center)

Miscellaneous

Pen holder	Integrated pen compartment, pen holder
Security lock slot	Yes
Mounting system	VESA 2.95 in / 75 mm
ලි [®] Drivers	Wacom driver recommended (Works also as standard HID without Wacom driver) MCT driver required

eTOP Solution
P.O.Box. 488201, Dubai, U.A.E
Tel.: (971) 4-455 9007 Fax: (971) 4-455 3043
www.wacomme.ae
Email: sales@wacomme.ae