Data Sheet

eTOP

DTH-1152
10.1-inch
Pen & Tonch
Display



Wacom® for Business

DTH-1152

Compact, durable electronic document handling



The DTH-1152 provides both pen and touch input in a compact pen display for convenience when reviewing, annotating and applying electronic signatures to digital documents. Users can write, draw, annotate, and sign electronic documents directly on screen. The 10.1" Full HD LCD screen has a hardened surface that provides outstanding durability and a paper-like feel. The built-in HDMI video interface also enables the DTH-1152 to be integrated seamlessly into VDI/RDS and Linux systems.



Key Features & Benefits

- Optimal user comfort with the 10.1" color Full HD LCD panel that allows easy document viewing and signing, drawing and annotating directly on the screen
- Intuitive input with multi-touch functionality for easy navigation and support for common gestures
- Outstanding durability via the scratchresistant hardened cover glass that provides easier viewing in different lighting conditions and a paper-like feel
- Flexible installation via the HDMI video interface that allows seamless integration into any system including Citrix, VMware or Linux, and support for VCP (Virtual Com Port) connection for use in legacy VDI/RDS environments
- Enhanced stability with cable protection that prevents accidental disconnections
- Convenient usage with landscape and portrait mode, and built-in VESA mounting holes also provide mounting options and the use of third-party stands

General Specifications

	Dimensions (W x H x D, excluding stand)	11.0 x 8.3 x 0.6 inches / 280 x 210 x 16 mm
	Weight (including stand)	2.1 lbs / 960 g
\nearrow	Stand inclination	15° integrated stand
5	Power supply	AC 100 ~ 240 V, 50/60 Hz
\mathcal{F}	Power consumption	10 W (full loading), Power Save mode: 0.5 W or lower, Power OFF mode: 0.5 W or lower
\rightleftharpoons	Communication interface	USB 2.0
	Programmable buttons	NA
₹\$\frac{1}{2}	Supported operating systems	Windows 10 / 8.1 / 7 (32-bit, 64-bit) Mac OSX 10.11 or later
	LCD Screen	
	LCD Screen	AHVA
		AHVA Yes
	LCD Panel Type	
	LCD Panel Type Touch Input	Yes
	LCD Panel Type Touch Input Cover glass surface	Yes Tempered AG etched glass
	LCD Panel Type Touch Input Cover glass surface Aspect ratio	Yes Tempered AG etched glass 16:9
	LCD Panel Type Touch Input Cover glass surface Aspect ratio Native resolution	Yes Tempered AG etched glass 16:9 1920 x 1080 pixels

0.13 cd/in² / 200 cd/m² (typical)

1000:1 (typical)

Tablet and Pen

	Electromagenetic Resonance (EMR)
Screen dimensions	10.1" diagonal (8.8 x 5.0 inches / 223 x 126 mm)
Coordinate resolution	2540 lpi
Coordinate accuracy	±0.02 inches / ±0.5 mm (center)
Report rate	200 points per second
Pressure levels	1024
ncryption	AES 256 / RSA 2048
Reading height	0.2 inches / 5 mm (center)

Miscellaneous

		Pen storage	Integrated pen compartment, pen stand
	\bigcirc	Security lock slot	Yes, Kensington
		Mounting system	VESA 2.95 inches / 75 mm
	\$	Signature software compatability	Compatible with signature / eSign software and Wacom sign pro PDF; C++, .NET and Java SDK/API available for developers
	© [®]	Drivers	Wacom driver required,, SDK/API available for developers
	®	Package content	DTH-1152, Pen, Pen tether, Extra pen nibs Nib removal tool, 3-in-1 cable, AC power adapter, Power cable, Quick Start Guide, IPI

Energy efficiency class and information for COMMISSION REGULATION (EU) 2019/2013



W∂COM[®] for Business

Contrast ratio

Response time

Luminance (brightness)